

Zilo

Work Chair



Statement of Line



High Back
or Mid Back



Molded Foam or
Mesh Seat



Seat Cover




Syncro
Mechanism




Swivel
Mechanism




Drafting
Ring



Fixed Loop



3-Way
Adjustable



Base



Castors

Features

Choose from standard configurations or customize your own

Available in Black, White or All Mesh

Base available in Black, White and Polished Aluminum

High or Mid Back

3-way Adjustable Arm Rest or Fixed Loop Arms

Full Syncro Mechanism with Tension Adjuster

2 Position Lock with Sliding Seat Mechanism

Adjustable Lumbar Support

Removable seat covers in fabric, vinyl, polyurethane, and Black leather

Optional Drafting Ring

Fully Assembled Option



3-way Adjustable Arms




Fixed Loop Arms



Drafting Ring

Finishes


Frame



Castors



Mesh Back (Air Mesh Collection)



Seat Covers



Six color collections available; refer to price list and web site for color names and SKUs.



Specifications

Arms Span (outside edges)	25.25" - 26.5"
Base Materials	Polished Aluminum and Nylon
Base Width	Nylon: 27" / Polished Aluminum: 27.5"
Body Frame Material	Nylon
Castors	Soft PU (Black or 2-tone Grey)
Cushion Seats	Polyurethane fill
Height Range	39.5" - 43.5"
High Back Dimensions	18"w x 21.5"h
Mesh Back Material	34% Polyester, 66% Polyamide
Mid-Back Dimensions	18"w x 18.5"h
Net Weight	38 lbs
Seat Covers	Removable with velcro closure
Seat Depth Adjustment	20" - 21"
Seat Dimensions	19.25"w x 20"d
Seat Height Range	18.5" - 22.75"
Weight Capacity	300 lbs

Drafting Ring

Lift Height	8.25"
Ring Diameter	20"
Seat Height Range	23.75" - 31.25"

Installation Time

10 minutes

Warranty

10 years, including parts and approved labor.

Care & Maintenance Instructions

Fabric: Wipe lightly with a damp soapy cloth.
Rinse with cold water and wipe dry with a clean cloth.
Frames: Wipe lightly with a damp cloth, using a gentle cleaner if needed.

Certifications

ANSI/BIFMA X5.1-2017
BIFMA LEVEL® 3
TB117-2013
Indoor Advantage Gold™